







105-E



CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP
- FABRIC TO STRONG SUNLIGHT. IRON AT MODERATE TEMPERATURE





105-D



CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP
- FABRIC TO STRONG SUNLIGHT. IRON AT MODERATE TEMPERATURE





105-C



CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP
- FABRIC TO STRONG SUNLIGHT. IRON AT MODERATE TEMPERATURE





105-B



CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP
- FABRIC TO STRONG SUNLIGHT. IRON AT MODERATE TEMPERATURE





105-A



CARE INSTRUCTIONS



- DRY CLEAN RECOMMENDED.
- DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
- BEFORE STITCHING FABRIC SHOULD BE SOAKED IN WATER.
- WASH AND SOAK COLORED AND WHITE FABRICS SEPARATELY. DO NOT OVER EXPOSE DAMP
- FABRIC TO STONG SUNLIGHT. IRON AT MODERATE TEMPERATURE

